PHP Artistan Commands

clear-compiled	Remove the compiled class file
down	Put the application into maintenance mode
env	Display the current framework environment
help	Displays help for a command
inspire	Display an inspiring quote
list	Lists commands
migrate	Run the database migrations Cache the framework bootstrap files
optimize	Serve the application on the PHP development server
serve	Run the application tests
test	• •
tinker	Interact with your application
up	Bring the application out of maintenance mode
auth:clear-resets	Flush expired password reset tokens
cache:clear	Flush the application cache
cache:forget	Remove an item from the cache
cache:table	Create a migration for the cache database table config
config:cache	Create a cache file for faster configuration loading
config:clear	Remove the configuration cache file
db:seed	Seed the database with records
db:wipe	Drop all tables, views, and types
event:cache	Discover and cache the application's events and listeners
event:clear	Clear all cached events and listeners
event:generate	Generate the missing events and listeners based on registration
event:list	List the application's events and listeners
key:generate	Set the application key
make:channel	Create a new channel class
make:command	Create a new Artisan command
	Create a new view component class
make:component	
make:controller	Create a new controller class
make:event	Create a new event class
make:exception	Create a new custom exception class
make:factory	Create a new model factory
make:job	Create a new job class
make:listener	Create a new event listener class
make:mail	Create a new email class
make:middleware	Create a new middleware class
make:migration	Create a new migration file
make:model	Create a new Eloquent model class
	Create a new notification class
make:notification	
make:observer	Create a new observer class
make:policy	Create a new policy class
make:provider	Create a new service provider class
make:request	Create a new form request class
make:resource	Create a new resource
make:rule	Create a new validation rule
make:seeder	Create a new seeder class
make:test	Create a new test class
ווומאכ.נכטנ	Create a new test class

migrate:fresh	Drop all tables and re-run all migrations
migrate:install	Create the migration repository
migrate:refresh	Reset and re-run all migrations
migrate:reset	Rollback all database migrations
migrate:rollback	Rollback the last database migration
migrate:status	Show the status of each migration
	Create a migration for the notifications table
notifications:table	
optimize:clear	Remove the cached bootstrap files
	Rebuild the cached package manifest
package:discover	
queue:failed	List all of the failed queue jobs
queue:failed-	Create a migration for the failed queue jobs database table
table	
queue:flush	Flush all of the failed queue jobs
queue:forget	Delete a failed queue job
queue:listen	Listen to a given queue
queue:restart	Restart queue worker daemons after their current job
queue:retry	Retry a failed queue job
queue:table	Create a migration for the queue jobs database table
queue:work	Start processing jobs on the queue as a daemon
route:cache	Create a route cache file for faster route registration
route:clear	Remove the route cache file
route:list	List all registered routes
schedule:run	Run the scheduled commands
session:table	Create a migration for the session database table
storage:link	Create the symbolic links configured for the application
stub:publish	Publish all stubs that are available for customization
vendor:publish	Publish any publishable assets from vendor packages
view:cache	Compile all of the application's Blade templates
view:clear	Clear all compiled view files

Find more guides like this at https://johnmccourt.com